

Creativity and design
for your custom-made shower.


Shower System Design



2019 COLLECTION

Shower System Design

Creativity and design
for your custom-made
shower.



Index

| | | | |
|----|------------------------------|----|------------------------------|
| 4 | Silverplat | 22 | Filozero Compact |
| 6 | Filozero Compact | 26 | Walk-in shaped |
| 10 | Walk-in | 30 | Assoluto walk-through shower |
| 14 | Back to wall C configuration | 34 | Open |
| 18 | Walk-in attic | 38 | Industrial Vintage Style |

42 Technical specifications

Shower trays

| | | | |
|----|---|----|-----------------------------|
| 44 | Essential details | 56 | Devio |
| 46 | Dreno | 58 | Devio - shapes / dimensions |
| 48 | Dreno Plus | 60 | Flat - shapes / dimensions |
| 50 | Dreno / Dreno Plus - shapes / dimensions | 62 | Shower recesses |
| 52 | Dreno / Dreno Plus - footboards / materials | | |

64 Technical specifications

Shower stalls

| | | | |
|----|---|----|---------------------------|
| 66 | Filozero Compact - full height sliding door | 82 | Semicircle line leaf door |
| 70 | Assoluto – sliding door medium height | 84 | Wavy line leaf door |
| 74 | Walk-in | 86 | Components |
| 76 | Quadro Line leaf door | 89 | Accessories |
| 78 | Penta line leaf door | 90 | Shower seats |
| 80 | Curve line leaf door | | |

Silverplat: integrated shower systems, exclusive for their dimensions, shapes, materials and the possibility of customisation.

Silverplat is a young company in Romagna created by the passion of its founder, Roberto Silano, for bathroom fittings and design.

In just a few years the company has become a benchmark brand in bathroom design and the creation of exclusive integrated shower systems, completely customised and able to satisfy every design requirement.

The innovative system flush with the floor consisting of a recess shower tray makes it possible to design and produce showers with an elegant and unique ultra minimal design that adapts to every living style.

Moreover, unlike common shower trays, the Silverplat integrated shower stall system has no edge sections, preventing infiltration and allowing water to drain away efficiently without allowing it to escape from the shower stall.

Creativity and technology are combined to transform every shower into a one-off design piece to reflect your character.





EXCLUSIVE DESIGN

Silverplat integrated shower systems enable you to create impressive artistic results, in line with the most innovative and sought-after trends in contemporary design.

HIGH PERFORMANCE CREATIVITY

In an ongoing quest for excellence and perfection Silverplat has constantly improved the product with the help of sophisticated instruments which make it possible to develop every single detail of its creative projects.

BESPOKE DESIGN

Silverplat integrated shower systems satisfy every design requirement, even when unconventional. Every shower becomes a one-off design creation that lends character to the bathroom and the home.

STRENGTH AND RELIABILITY

From the choice of materials to the welding, every process is performed with the greatest precisions and attention to detail to ensure the maximum safety and durability of all Silverplat products.

ASSISTING OUR CUSTOMERS ALL THE TIME

From the design stage to installation and after-sale service, Silverplat constantly guarantees its customers the greatest attention, professionalism and helpfulness.




Filozero Compact



P Dreno
 Floor-flush shower tray
 Corner configuration
 Quadro Line 210x90 cm
 Jolly coverable footboard
 Teak footboard

Filozero Compact
 Sliding door shower stall
 Corner configuration
 Quadro Line
 210x90 h.250 cm
 Thaisa seat








Walk-in

P Dreno
Floor-flush shower tray
Back to wall configuration
Quadro Line 240x140 cm
Jolly coverable footboard
Smooth Carrara stones

Walk-in
Open-access shower stall
Back to wall configuration
Quadro Line
240x140 h.260 cm










Back to wall C configuration

P Dreno
Floor-flush shower tray
Back to wall configuration
Quadro Line 140x80 cm
Jolly coverable footboard

Wall C configuration
Open access shower stall
Back to wall configuration
Quadro Line
140x25 h.200 cm










Walk-in attic

P Dreno
Floor-flush shower tray
Alcove configuration
Quadro Line 300x90 cm
Teak Footboard

Walk-in
Open access shower stall
Alcove configuration
Quadro Line
180x h.230 h.290 cm











Filozero Compact




P Dreno

Floor-flush shower tray
Back to wall configuration
Quadro Line 180x90 cm
Jolly coverable footboard

Filozero Compact

Sliding door shower stall
Back to wall configuration
Quadro Line
180x90 h.250 cm








Walk-in shaped

P Dreno
Floor-flush shower tray
Corner configuration
Quadro Line shaped 190x140 cm
Jolly coverable footboard
Teak footboard

Walk-in
Open access shower stall
Corner configuration
Quadro Line
110+80 h.220 cm
80 h.220 cm











Assoluto walk-through shower




P Dreno

Floor-flush shower stall
Double back to wall configuration
Quadro line 130x90 cm
Footboard Melissa white
aluminium

Assoluto

Sliding door shower stall
Double back to wall walk-through configuration
Quadro Line
130x90 h.220 cm











Open



P Dreno
Floor-flush shower stall
Circular Line diam. 110 cm
Jolly coverable footboard

Open
Wall shower
Semicircle Line
diam. 110 h.200 cm








Industrial Vintage Style

Devio
Floor-flush shower stall
Corner configuration
Quadro Line 130x80 cm
Cementitious resin covering

Industrial Vintage Style
Swing-door shower stall
Corner configuration
Quadro Line
130x90 h.230 cm












Technical specifications

Shower trays





The system consists of two basic parts:
the tray itself and the removable footboard.

Shower tray

The tray is made of sheet stainless steel AISI 304 of thickness 1.5 mm. The noble quality of the material together with the substantial thickness makes it possible to ensure that welds are long-lasting.

Made to measure in any shape and size, with all the sections ideal for adjustment in loco.
It is able to maintain a lifelong seal against infiltration thanks to the special containment barrier concealed in recesses behind the covering tiles without using sealants or silicone joints.

There are also recesses for inserting the glass panels of the shower stall to produce a flush fit between glass panes and with the floor, creating the best aesthetic effect and functionality.

Removable footboard

Inside the shower tray we use a shower footboard raised on stainless steel adjustable feet for levelling and ensuring good drainage of the water to prevent accumulation and bad odours.

The footboard can be lifted out when doing cleaning or maintenance with practical hinges that make it easy to lift by supporting 80% of the weight when rotating and thus reducing the effort needed. A handy stainless steel telescopic rod, with mechanical operation, blocks the footboard in the vertical position so that work can be done safely.

Available made to measure with infinite combinations of materials.

Swivel pin

Makes the footboard easier to lift.



Adjustable foot

For levelling the footboard, improves water drainage, prevents accumulation of water and bad odours.



Self-locking support

Stainless steel telescopic rod with mechanical operation, blocks the footboard in the vertical position for cleaning and maintenance work.



Siphon drain

Diam. 90mm
Removable filter
Flow rate 25 litres/minute




Shower tray

[Dreno]

basic details


Recesses and recess-fitted sections

- enhance the aesthetic effect;
- improve the water seal.


Integrated shower stall

- Eliminates supporting sections;
- enhances the design;
- easy to install;
- facilitates cleaning.


Water stop stall

- Guarantees lifelong water stop;
- eliminates the need for silicone joints.


Slots for integrated shower stall

- Increases structural stability;
- excludes exposed silicone;
- prevents mildew formation.

| | | |
|-------------|---------|----------------------|
| shower tray | [Dreno] | construction diagram |
|-------------|---------|----------------------|



P-Dreno recess fitted floor-flush stainless steel shower tray, made to measure in various shapes and sizes.

Large water holding capacity and excellent drainage allowed by the floating footboard raised on adjustable feet.

The system was conceived to eliminate all the problems connected with the entire shower stall and comes with a lifelong warranty against infiltration thanks to its working principle. Can be customised with any type of finish.

- 1

 wall
- 2

 plaster
- 3

 waterproofing
- 4

 glue
- 5

 floor covering
- 6

 siphon drain Ø 90 mm

7

 stainless steel shower tray

8

 screed

9

 waste pipe Ø 40 mm

10

 glass 8/10/12 mm

11


 tilting footboard

shower tray


[Dreno]

floor-flush


Technical measurements




SEC. A and C




SEC. B




SEC. D




SEC. E



SECTION A-X



| | | |
|-------------|--------------|----------------------|
| shower tray | [Dreno Plus] | construction diagram |
|-------------|--------------|----------------------|



P-Dreno Plus stainless steel floor-resting shower tray, made to measure in various shapes and sizes.

The tray is installed in a less invasive way on top of the floor. Excellent when the bathroom is to be partially remodelled and where there is little depth to fit the trap.

The exposed front edge can reach a height of 20 cm which is necessary to compensate for the desired height.

The technical and functional specifications are exactly as for the recess fitted system.

- 1

 wall
- 2

 plaster
- 3

 waterproofing
- 4

 glue
- 5

 floor covering
- 6

 siphon drain Ø 90 mm

7

 stainless steel shower tray

8

 screed

9

 waste pipe Ø 40 mm

10

 glass 8/10/12 mm

11


 tilting footboard

shower tray


[Dreno Plus]

free-standing


Technical measurements




SEC. A and C




SEC. B




SEC. D




SEC. E




SECTION A-X




Quadro Line




Corner




Corner + shoulder




Alcove




Alcove + shoulder




Wall




Double wall




Column space




Off-square




Penta Line




Corner




Alcove



Corner + shoulder



Wall




shower tray


[Dreno / Dreno Plus]

shapes / sizes


Curve Line




Corner




Alcove




Corner + shoulder




Wall




Semicircle Line




Alcove




Wall




Wavy Line



Corner




Alcove




Jolly coverable footboard

Footboard coverable with thin material between 1 and 13 mm (e.g. tiles, mosaic, resins etc). Consisting of a stainless steel containing tray inside which there is a load-bearing honeycomb aluminium support*.

Note: for gluing coverings a single component polyurethane adhesive (Mapaflex PU 45) is recommended.



***Load-bearing support**
weight 1.5Kg-sqm
compression 60Kg-sq cm
no enlargement
does not absorb moisture



Jolly laminated footboard

Footboard coverable with thick material in a single slab between 15 and 20 mm (e.g. marble, stone or derivatives). Consisting of a simple stainless steel sheet where the material can be applied.

Note: for gluing the coverings a single component polyurethane adhesive (Mapaflex PU 45) is recommended.



shower tray

[Dreno / Dreno Plus]

footboards / materials

Teak wooden footboard

Teak is a prestigious material much sought after for indoor furnishings and used particularly in the shipbuilding industry. It is practically immune to moisture, atmospheric agents, parasites and fungus. Does not expand or crack.

Solid wood slats 90 x19 mm assembled with stainless steel screws.



Ipè wooden footboard

A material much appreciated for its exceptional strength and flexibility, which ensures very high performance and standards in any outdoor use. It is practically immune to moisture, atmospheric agents, parasites and fungus. Does not expand or crack.

Solid wood slats 90 x19 mm assembled with stainless steel screws.



Matilde steel footboard

An innovative strong material that easily blends in with contemporary furnishings.

Satin steel finish.
Slats 60-70-80 x 20 mm.




Melissa aluminium footboard

Slim and easy to handle thanks to its lightness, easy to clean, in demand in places where it is used by many people, such as hotels, care homes, gymnasiums and changing rooms.

RAL colours available size 60-70-80 x 20 mm.

Colours offered



Black

Grey



Dove grey

White



shower tray

[Dreno / Dreno Plus]


footboards / materials

Karina chromotherapy footboard


A simple light source, which can be connected to a photocell receiving from the remote control supplied, makes it possible for the footboard to produce colour and light effects that irradiate the body and the surrounds at a preset frequency, for complete and pleasant cell regeneration.

Consisting of a stainless steel tray containing the low voltage lighting system, all in a watertight enclosure of toughened glass, which can be customised with coloured abstract designs, pictures or anti-slip systems.

Often used in health spas for moments of relaxation, it is also offered as a special feature in private homes. Conceived for those who are looking for an unconventional colourful bathroom with a highly customised touch.



| | | |
|-------------|---------|----------------------|
| shower tray | [Devio] | construction diagram |
|-------------|---------|----------------------|



Devio, the new coverable shower tray, with wall drain and integrated shower stall. A single slope is the main functional feature, with the water running towards the collection slot in the wall.

A shower tray with a monolithic stainless steel structure which covers the entire surface of the shower area ensuring a lifelong seal against infiltration. The shower tray can be covered with any

kind of material to provide a continuation of the flooring (e.g. tiles, mosaic, resins cementitious, marble or stones).

The slots for inserting the glass panes of the shower stall create an extremely minimal and essential effect without any discontinuous joints, making routine cleaning and maintenance jobs very easy.

- 1

wall
- 2

plaster
- 3

waterproofing
- 4

glue
- 5

covering
- 6

siphon trap
- 7

waste pipe Ø 40 mm
- 8



stainless steel tray
- 9

load-bearing support
- 10

screed
- 11

glass 8/10/12 mm


Quadro Line



Corner



Corner + shoulder



Alcove




Alcove + shoulder



Wall



Column space



Possible combinations with:



- Walk-in shower stall
- Quadro Line shower stall with leaf door

shower tray


[Devio]

shapes / dimensions


Penta Line




Corner




Alcove



Alcove + shoulder



Wall



Possible combinations with:

- Walk-in shower stall
- Penta Line shower stall with leaf door

| | | |
|-------------|--------|-----------------------------|
| shower tray | [Flat] | floor-flush / free-standing |
|-------------|--------|-----------------------------|




Ultra thin shower tray, only 2 cm high, for floor-flush installation or free-standing as required.


Flat is simple concept shower tray of satin finish steel and made to measure.

A sound modular system for installation in public or private facilities such as changing rooms, campsites, prefabricated boxes and all those industrial facilities that require cleaning, hygiene and strength.

Technical measurements



SEC. A-A




shower tray


[Flat]

shapes / dimensions


Quadro Line




Corner




Corner + shoulder




Alcove




Alcove + shoulder




Wall




Double wall





Column space




Off-square




Penta Line




Corner




Alcove



Corner + shoulder



Wall




shower recesses


Solodoccia

The recess has slots for inserting glass panes, suitable for many “alcove” shower stall units for a simple essential solution that blends in with all styles.


Finish: in satin or polished stainless steel or coverable.
Dimensions: made to measure.



Possible arrangements



Trap height measurements




shower recesses

Basic

Recess with removable central body, suitable for terraces, around swimming pools and public facilities.


Finish: in satin or polished stainless steel or coverable.
Dimensions: made to measure.



Simply

Recess with removable central body, suitable for terraces, around swimming pools and public facilities.


Finish: in satin or polished stainless steel.
Dimensions: made to measure.





Technical specifications


Shower stalls





P Dreno
Floor-flush shower stall
Corner configuration
Quadro Line 170x90 cm
Jolly coverable footboard
Teak wooden footboard

Filozero Compact
Sliding door shower stall
Corner configuration
170x90 h.260 cm



Shower stall

[Filozero Compact]

sliding door
full height



Max height
300 cm



length
min 120 cm
max 250 cm



Toughened glass
thickness 10 mm



opening
min 60 cm
max 100 cm




metal
polished
satin
coloured


Corner




Alcove



Wall



Double wall/walk-through






Shower entrance with 5 mm satin finish stainless steel threshold.



Shower entrance with 17 mm polished/satin finish stainless steel threshold on request.



sezione A-X

shower stall**[Filozero Compact]****sliding door
full height**

Cleaning and maintenance

With this system the sliding door can be detached from the fixed door simply by tilting it in order to reach the narrowest and most difficult spots when cleaning.

This is possible thanks to the practical removable footboard which releases the door at the bottom along the slide guide rails.


A solution that can ensure perfect hygiene, without deposits of dirt and limescale.





P Dreno
Floor-flush shower stall
Corner configuration
Quadro Line 120x80 cm
Matilde steel footboard

Assoluto
Sliding door shower stall
Corner configuration
120x80 h.220 cm



box doccia

[Assoluto]

sliding door
medium height



Max height
240 cm



length
min 100 cm
max 200 cm



Toughened glass
thickness 8mm




entrance
min 50 cm
max 75 cm



metal
polished
satin

Corner




Alcove



Wall



Double wall/walk-through






Shower entrance with 5 mm satin finish stainless steel threshold.



Shower entrance with 15 mm polished/satin finish stainless steel threshold on request.



section A-X

shower stall

[Assoluto]

sliding door
medium height

Stop



Slide rollers



Wall attachment

Cleaning and maintenance

With this system the sliding door can be detached from the fixed door simply by tilting it in order to reach the narrowest and most difficult spots when cleaning.


This is possible thanks to the practical removable footboard which releases the door at the bottom along the slide guide rails. A solution that can ensure perfect hygiene, without deposits of dirt and limescale.





P Dreno
Floor-flush shower stall
Wall configuration
Quadro Line 140x80 cm.
Jolly Coverable footboard

Walk-in
Wall fixed door
Wall configuration
140x80 h. 210 cm



Shower stall

[Walk-in]

wall fixed door
medium height / full height



Max height
300 cm



Toughened glass
thickness 8/10/12 mm




metal
polished
satin

Corner




Alcove



Wall




Double wall/walk-through





Devio
Floor-flush shower stall
Corner configuration
Quadro Line 110x80 cm

Quadro Line leaf door
Shower stall with leaf door
Corner configuration
110x80 h.210 cm



Shower stall

[Quadro Line leaf door]

leaf door
medium height / full height



Max height
300 cm



Toughened glass
thickness 6/8 mm




entrance
min 45 cm
max 75 cm




metal
polished
satin


Corner




Alcove




Wall



Double wall/walk-through




Folding door





Devio
Floor-flush shower stall
Corner configuration
Penta Line 110x80 cm

Penta line leaf door
Shower stall with leaf door
Corner configuration
110x80 h.210 cm



Shower stall

[Penta line leaf door]

leaf door
medium height



Max height
220 cm



Toughened glass
thickness 6/8 mm




entrance
min 45 cm
max 75 cm




metal
polished
satin


Corner



Alcove




Wall





P Dreno
Floor-flush shower stall
Corner configuration
Curve Line 120x80 cm
Ipe wooden footboard

Curve line leaf door
Shower stall with leaf door
Corner configuration
120x80 h.185 cm



Shower stall

[Curve line leaf door]

leaf door
medium height



Max height
185 cm



Toughened glass
thickness 6/8 mm




entrance
70 cm




metal
polished
satin

Configurations with standard door R 48.5 cm

Corner



Wall



Configurations made to measure



Max height
220 cm



Toughened glass
thickness 8/10 mm
laminated glass
4+4/5+5 mm




entrance
min 45 cm
max 75 cm




metal
polished
satin

Corner




Wall





P Dreno
Floor-flush shower stall
Wall configuration
Semicircle Line 140x90 cm
Teak wooden footboard

Semicircle line leaf door
Shower stall with leaf door
Wall configuration
140x90 h.210 cm



Shower stall

[Semicircle line leaf door]

leaf door
medium height



Max height
185 cm



Toughened glass
thickness 6/8 mm




entrance
70 cm



metal
polished
satin


Configuration with standard door R 48.5 cm

Wall



Configuration made to measure

Wall



altezza max
220 cm



Max height
220 cm



Toughened glass
thickness 8/10 mm
laminated glass
4+4/5+5 mm



entrance
variable




metal
polished
satin



P Dreno
Floor-flush shower stall
Corner configuration
Semicircle Line 190x110 cm
Teak wooden footboard

Wavy line leaf door
Shower stall with leaf door
Corner configuration
190x110 h.210 cm



shower stall

[Wavy line leaf door]

leaf door
medium height



altezza max
220 cm



Max height
200 cm



Toughened glass
thickness 8/10 mm
laminated glass
4+4/5+5 mm



entrance
variable



metal
polished
satin

Corner



Alcove



| shower stall | components |
|--------------|------------|
|--------------|------------|

Glass



Transparent



Transparent acid etched



Anthelion



Extra clear



Acid etched extra clear



Smoked

Hinges



Wall glass 90°



Glass Glass 90°



Wall Glass 180°



Glass Glass 180°

Cam hinges



Wall Glass 90°



Glass Glass 90°

Clamps



Wall Glass



Corner Wall Glass

shower stall

components

Knobs



Round knob
Ø 25 mm



Square knob
Ø 25 mm



Ring
Ø 25 mm interno



Ground hole
Ø 30 mm



Ground slot
80x30 mm

Handles



Square handle
Ø 15 h. 15 cm



Linear handle
Ø 15x30 h. 30 cm



Square handle
Ø 20 h. 40 cm
Ø 20 h. 30 cm
Ø 20 h. 20 cm



Round handle
Ø 15 h. 40 cm
Ø 15 h. 26 cm

Hangers



Gents - 75 x 55 mm



Ladies - 75 x 55 mm

| shower stall | components |
|--------------|------------|
|--------------|------------|

Arms



Jointed round arm Ø16 mm
length 19 cm or 37 cm
Wall/Glass



Jointed square arm Ø15 mm
adjustable length max 150 cm
Wall/Glass



Fixed round arm Ø19 mm
adjustable length max 100 cm
Wall/Glass



Fixed square arm Ø15 mm
adjustable length max 150 cm
Wall/Glass



Fixed three-way arm 30 x 10 mm
adjustable length max 200 cm
Wall/Glass/Glass



Fixed arm 30 x 10 mm
adjustable length max 200 cm
Wall/Glass



“U” section Wall/Glass



End “U” section
Wall/Glass “Corner”



End “U” section
Wall/Glass in “Linear”



“Corner” sealing section
Glass/Glass

accessories

Shower cleaning kit

The kit is complete with everything for effective cleaning and maintenance of the shower.

Every single item has been conceived for a specific use.

The strong handy ergonomic **lifting key** makes it possible to lift the tilting footboard simply.

The **descaling treatment** prevents the formation of scale on the glass surfaces of the shower stall.

The light and practical simple design **squeegee** will help you to keep all the surfaces of the shower stall clean. It is made of rubber to prevent breakages caused by accidental falls.

The skin **pad** ensures complete effective cleaning of the metal parts of the shower stall and all its components.

The **instruction booklet** contains all the information for assembly and maintenance of the shower stall.



Wood maintenance kit

Developed precisely for the purpose of conserving the original brilliant appearance of the wooden footboard for the shower.

The kit contains everything necessary for correct maintenance, starting with the abrasive sponges for eliminating dirt, the brush for reaching the more inaccessible parts between one slat and the next and the skin pad for applying the oil.

Silverplat Oil is a water-based impregnating oil consisting of oils and resins emulsified in water with reactive groups that bind to the wood lignin, strengthening it and delaying its degradation considerably and protecting it from the attack of moulds and microorganisms.

The 125 ml flask is sufficient for treating a footboard of 1 sqm on both sides.



shower seats





Thalita
shower seats

Thalita is a highly versatile, shower seat, practical to use and suitable not only inside a shower but also in a sauna or Turkish bath.

A genuine designer product which enhances every setting as a furniture item, increasing aesthetic value.

Ideal for those who need something to lean on while showering, especially in the homes of disabled people who have difficulty staying on their feet or motory difficulties.

Available made to measure with Teak slats and structure in polished or satin stainless steel.



shower seats






Thaissa lifting shower seat

The light practical Thaissa seat lends itself to all types of combination. It can be lifted to avoid obstructing the narrow spaces in the shower.

Besides being practical it is also a designer article which completes the unconventional furnishing of the bathroom.

Ideal for those who need something to lean on while showering, especially in the homes of disabled people who have difficulty staying on their feet or motory difficulties.

Available made to measure with Teak slats and structure in polished or satin stainless steel.



Art Direction
Images
Copywriting
Acanto Comunicazione



Silverplat srl
Via il Colle, 6
47853 Coriano
Rimini, Italy

Tel. 0541 659165
Cell. 335 1016617
www.silverplat.com
info@silverplat.com